

LIASYS SERIES CLINICAL IMMUNO-CHEMISTRY SYSTEMS

ROI ANALYSIS ESTIMATE WORKSHEET FOR YOUR LAB

By sending us this completed form you will enable us to provide a simple presentation indentifying where and how much savings you can be realized by adopting AMS Clinical Chemistry Systems; the presentation will show detailed reagents, controls and calibration usage and a simple pie-chart representing your costs and profits when using our system.

This estimate is designed to reflect your unique laboratory testing needs by comparing your tests volume with our systems running costs and reimbursement rates; the more accurate your information are the more accurate is the estimate.

FILL IN THE DATA, PRINT and FAX THE COMPLETED FORM TO 1 (843) 277-0903

CUSTOMER INFORMATION

Name:	<input type="text"/>	Contact Name:	<input type="text"/>
Address:	<input type="text"/>	Contact Title:	<input type="text"/>
City:	<input type="text"/>	Phone Number:	<input type="text"/>
State:	<input type="text"/>	Zip:	<input type="text"/>
		Fax Number:	<input type="text"/>
		E-Mail:	<input type="text"/>
		Representative:	<input type="text"/>

LABORATORY INFORMATION

Number of Shifts / Day:	<input type="text"/>	Current Equip.:	<input type="text"/>
Number of Hours / Shift	<input type="text"/>	Operation Type:	<input type="text"/>
Labor Cost / Hour	<input type="text"/>		
Operating Days / Month:	<input type="text"/>		
Patients Tested / Month:	<input type="text"/>		

PATIENT TEST VOLUME

Assay Panels	per month		per month	Specialty Tests	per month
Basic Metabolic	<input style="width: 100%;" type="text"/>	CK	<input style="width: 100%;" type="text"/>	hsCRP	<input style="width: 100%;" type="text"/>
Comprehensive Metabolic	<input style="width: 100%;" type="text"/>	CO2	<input style="width: 100%;" type="text"/>	Hemoglobin A1c	<input style="width: 100%;" type="text"/>
Renal	<input style="width: 100%;" type="text"/>	Creatinine	<input style="width: 100%;" type="text"/>	Lipase	<input style="width: 100%;" type="text"/>
Lipid - Cardiac Risk	<input style="width: 100%;" type="text"/>	Gamma-GT	<input style="width: 100%;" type="text"/>	CK-MB	<input style="width: 100%;" type="text"/>
Electrolytes	<input style="width: 100%;" type="text"/>	Glucose	<input style="width: 100%;" type="text"/>	Fructosamine	<input style="width: 100%;" type="text"/>
Hepatic	<input style="width: 100%;" type="text"/>	HDL-CL	<input style="width: 100%;" type="text"/>	Ferritin	<input style="width: 100%;" type="text"/>
		Phosphorus	<input style="width: 100%;" type="text"/>	Others:	<input style="width: 100%;" type="text"/>
		Iron	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
Additional Routine Tests	per month	LDH	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
Albumin	<input style="width: 100%;" type="text"/>	LDL	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
Alkaline Phosphatase	<input style="width: 100%;" type="text"/>	Lithium	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
ALT	<input style="width: 100%;" type="text"/>	Magnesium	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
Amylase	<input style="width: 100%;" type="text"/>	Total Protein	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
AST	<input style="width: 100%;" type="text"/>	Triglycerides	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
Direct Bilirubin	<input style="width: 100%;" type="text"/>	BUN	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
Total Bilirubin	<input style="width: 100%;" type="text"/>	Uric Acid	<input style="width: 100%;" type="text"/>		<input style="width: 100%;" type="text"/>
Calcium	<input style="width: 100%;" type="text"/>				<input style="width: 100%;" type="text"/>
Cholesterol	<input style="width: 100%;" type="text"/>				<input style="width: 100%;" type="text"/>

PLEASE, PRINT and FAX THIS FORM TO 1 (843) 277-0903

NOTE: This analysis is done with the information provided at this time and with the most accurate information available at the time of the preparation, therefore, it should be used for estimate purposes only. Actual costs may vary depending on external factors such as changes in reimbursement rates, leasing rates, products prices and actual tests volumes.